

Inspria® Med

Solid HT-copolyester sheet for medical applications



Your benefits:

- suitable for medical packaging applications
- good impact strength
- high temperature resistance
- high clarity

Solid **Inspria® Med** sheets are made of Eastman Tritan™ MP100 copolyester and meet the ISO 10993/USP Class VI biocompatibility requirements. They are clear transparent and combine high impact strength with excellent thermoforming properties.

Inspria® Med clear 099 is a clear transparent sheet with extremely high light transmission and high gloss. It can be subjected to several methods of sterilization, including Gamma-radiation and ethylene oxide.

Applications:

Ideal fields of application for **Inspria® Med** are: dental aligners, rigid medical packaging, containers and trays for medical devices.

Inspria® Med can be thermoformed to extreme degrees of stretching and accurate mold surface reproduction. The sheets can withstand temperatures up to 90°C and are easy to machine.

	Test Conditions	Typical values ⁽¹⁾	Unit	Standard
PHYSICAL Density Moisture absorption	24 h immersion 23°C	1.19 0.5	g/cm ³ %	ISO 1183-1 ISO 62
MECHANICAL Tensile stress at yield Tensile strength Elongation at yield Elongation at break Tensile modulus Flexural modulus Impact strength	Izod notched 23 °C	43 58 7 185 1,548 1,495 93	MPa MPa % % MPa MPa kJ/m ²	ISO 527 ISO 527 ISO 527 ISO 527 ISO 527 ISO 178 ISO 180/1A
THERMAL Coeff. of linear thermal expansion		0.09	mm/m K	ASTM D696

(1) These values are measured on injection moulded samples and are not intended for specification purposes

EASTMAN

Inspria® MED is made of Eastman Tritan™ MP100

Inspria® Med

Solid HT-copolyester sheet for medical applications



Ideas, innovative, intelligent, interesting... Exolon Group i-line represents the next generation of quality products. This seal guarantees innovative and intelligent first-class solutions at all times for a multitude of requirements.

Available sizes:

Inspria® Med clear 099 is available on request in thicknesses of 0.60 - 5 mm.

The sheets are also available with anti-block properties, on request. Please contact us.

Thermoforming:

Inspria® Med sheets can be thermoformed at temperatures between 150 and 175°C. The sheets show excellent flow and mold surface reproduction.

Medical compatibility

Inspria® Med is produced based on 100% virgin resin which meets ISO 10993 requirements. The sheets are produced under GMP conditions and under a quality management system which meets ISO 9001:2015.

The biocompatibility of the final product made out of **Inspria® Med** sheets for use in a medical application compliant with the medical regulations cannot be based solely on tests performed on the resin or the sheet. It is the sole responsibility of the manufacturer of the final end-use product to conduct all necessary tests (including biocompatibility tests) and inspections and to evaluate the final product under actual end-use requirements.

Please check our Medical Reference Guide for further information.

Exolon Group also produces multiwall sheets in polycarbonate (Exolon® multi UV), and solid sheets in polycarbonate (Exolon® GP) and in polyester (Vivak® and Axpert®). For more information, take a look at www.exolongroup.com.



Exolon Group NV
Wakkensesteenweg 47
8700 Tielt
Belgium

www.exolongroup.com
sales@exolongroup.com

The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations, are beyond our control. Therefore, it is imperative that you test our products, technical assistance, information and recommendations to determine to your own satisfaction whether our products, technical assistance and information are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by Exolon Group. The biocompatibility testing referenced above cannot assure the biocompatibility of final or intermediate products made from Exolon Group products or the suitability of such products for their use in a Medical Application, i.e., the test data cannot be used to conclude that any medical devices manufactured from the Exolon Group products meet the necessary requirements of ISO Standard 10993-1. It is the sole responsibility of the manufacturer of final end-use product to conduct all necessary tests (including biocompatibility tests) and inspections and to evaluate the final product under actual end-use requirements. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sale which are available upon request. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with any claim of any patent relative to any material or its use. No license is implied or in fact granted under the claims of any patent.

Inspria® is a registered trademark of Exolon Group. Eastman Tritan™ MP100 is a registered trademark of Eastman.